

## PUBLICATIONS

A.W. Thompson

1. A.W. Thompson and W.A. Backofen, "The Effect of Grain Size on Fatigue," *Acta Metall.*, 19 (1971) 597-606.
2. A.W. Thompson and W.A. Backofen, "Production and Mechanical Behavior of Very Fine-Grained Copper," *Metall. Trans.*, 2 (1971) 2004-2005.
3. A.W. Thompson, "The Comparison of Yield and Fatigue Strength Dependence on Grain Size," *Scripta Metall.*, 5 (1971) 859-863.
4. A.W. Thompson, "Calculation of True Volume Grain Diameter," *Metallography*, 5 (1972) 366-369.
5. A.W. Thompson, "The Influence of Grain and Twin Boundaries in Fatigue Cracking," *Acta Metall.*, 20 (1972) 1085-1094.
6. A.W. Thompson and B.A. Wilcox, "Deformation and Fracture of Dispersion-Strengthened Nickel Charged with Hydrogen," *Scripta Metall.*, 6 (1972) 689-696.
7. A.W. Thompson, "Structure of Nickel and Nickel-Cobalt Electrodeposits," in *Proc. 30th Ann. Mtg. Electron Microscopy Soc. Amer.*, C.J. Arceneaux, ed., Claitor's, Baton Rouge (1972) 656-657.
8. A.W. Thompson and B.C. Odegard, "The Influence of Microstructure on Low Temperature Creep of Ti-5 Al-2.5 Sn," *Metall. Trans.*, 4 (1973) 899-908.
9. M.I. Baskes and A.W. Thompson, "Relation Between Apparent and True Activation Area," *J. Appl. Phys.*, 44 (1973) 892-893.
10. A.W. Thompson and R.J. Bucci, "The Dependence of Fatigue Crack Growth Rate on Grain Size," *Metall. Trans.*, 4 (1973) 1173-1175.
11. A.W. Thompson and H.J. Saxton, "Structure, Strength, and Fracture of Electrodeposited Nickel and Ni-Co Alloys," *Metall. Trans.*, 4 (1973) 1599-1605.
12. A.W. Thompson and M.I. Baskes, "The Influence of Grain Size on the Work Hardening of Face-Centered Cubic Polycrystals," *Philosophical Magazine*, 28 (1973) 301-308.
13. A.W. Thompson, "On Fatigue Crack Morphology at Surfaces," *Scripta Metall.*, 7 (1973) 211-213.
14. A.W. Thompson, M.I. Baskes, and W.F. Flanagan, "The Dependence of Polycrystal Work Hardening on Grain Size," *Acta Metall.*, 21 (1973) 1017-1028.
15. A.W. Thompson, "Hydrogen Embrittlement of Stainless Steels by Lithium Hydride," *Metall. Trans.*, 4 (1973) 2819-2825.
16. A.W. Thompson, "The Behavior of Sensitized 309S Stainless Steel in Hydrogen," *Materials Science and Engineering*, 14 (1974) 253-264.
17. A.W. Thompson, "Comparison of Strain Hardening in Polycrystals and <111> Single Crystals: The Example of Copper," *Metall. Trans.*, 5 (1974) 39-42.
18. B.C. Odegard and A.W. Thompson, "Low Temperature Creep of Ti-6 Al-4 V," *Metall. Trans.*, 5 (1974) 1207-1213.
19. A.W. Thompson, "Ductility Losses in Austenitic Stainless Steels Caused by Hydrogen," in *Hydrogen in Metals*, I.M. Bernstein and A.W. Thompson, eds., A.S.M., Metals Park (1974) 91-102.

PUBLICATIONS A.W. Thompson

20. A.W. Thompson, "Discussion: High-Strength Manganese Steel," in *Hydrogen in Metals*, I.M. Bernstein and A.W. Thompson, eds., A.S.M., Metals Park (1974) 179-182.
21. J.A. Brooks and A.W. Thompson, "Hydrogen Compatibility of Joining Processes for Dispersion-Strengthened Materials," in *Hydrogen in Metals*, I.M. Bernstein and A.W. Thompson, eds., A.S.M., Metals Park (1974) 527-537.
22. A. W. Thompson and W. N. Posey, "Effect of Hydrogen on Iron-Nickel-Cobalt Sealing Alloys," *J. Testing and Evaluation*, 2 (1974) 240-242.
23. A. W. Thompson, "Use of Non-Polycrystal Specimens in Mechanical Behavior Tests," *Scripta Metall.*, 8 (1974) 145-148.
24. A. W. Thompson, "Hydrogen Compatibility of Dispersion-Strengthened Alloys," *Metall. Trans.*, 5 (1974) 1855-1861.
25. A. W. Thompson, "An Evaluation of the Ashby Model for Grain Boundary Hardening," *Philosophical Magazine*, 29 (1974) 1125-1132.
26. J. C. Williams, A. W. Thompson, and R. G. Baggerly, "Accurate Description of Slip Character," *Scripta Metall.*, 8 (1974) 625-630.
27. A. W. Thompson and J. C. Williams, "Electron Microscopy Studies of Precipitation in Cu-Ti Side-Band Alloys," in *Electron Microscopy 1974* (Proc. Eighth Internat. Congress), Austral. Acad. Sci., Canberra (1974) Vol. 1, 660-661.
28. A. W. Thompson, "Order in Ni-25% Co," *Scripta Metall.*, 8 (1974) 1167-1170.
29. A. W. Thompson, "Yield Points During Cyclic Strain of a Cu-7.5% Al Alloy," *physica status solidi (a)*, 25 (1974) 85-91.
30. A. W. Thompson, "Extended Basal Plane Shear in Pyrolytic Graphite at 3035 K," *J. Materials Science*, 9 (1974) 1900-1902.
31. A. W. Thompson, "Fatigue Crack Propagation in Austenitic Stainless Steels," *Engineering Fracture Mechanics*, 7 (1975) 61-68.
32. A. W. Thompson, "Effect of Sulfur Segregation to Grain Boundaries on Yielding, Flow and Fracture of Nickel," in *Grain Boundaries in Engineering Materials* (Proc. Fourth Bolton Landing Conf.), J.L. Walter, J.H. Westbrook and D.A. Woodford, eds., Claitor's, Baton Rouge (1975) 607-618.
33. A. W. Thompson, J. D. Frandsen, and J. C. Williams, "The Effect of Grain Size and Oxygen Content on Fatigue Crack Growth Rate in Titanium," *Metal Science J.*, 9 (1975) 46-48.
34. A. W. Thompson and R. G. Baggerly, "Experiments on the Existence of Order in Ni-25% Co," *Metal Science J.*, 9 (1975) 280-282.
35. A. W. Thompson, "Discussion of 'High Cycle Fatigue Crack Propagation Rates in Copper' by Y. Nakano and B. I. Sandor," *J. Testing and Evaluation*, 3 (1975) 121-123; "Discussion of 'Dependence of Fatigue Notch Factor on Plasticity and Duration of Crack Growth' by Gowda, et al.," *ibid.*, 124.
36. A. W. Thompson and I. M. Bernstein, "Environmental Fracture of Aluminum Alloys and Stainless Steels as a Function of Composition and Microstructure," *Reviews on Coatings & Corrosion*, 2 (1975) 3-44; reprinted in *Stress Corrosion Cracking*, J. Yahalom and A. Aladjem, eds., Freund, Tel Aviv (1980) 193-230.

PUBLICATIONS A.W. Thompson

37. A. W. Thompson and J. A. Brooks, "Hydrogen Performance of Precipitation-Strengthened Stainless Steels Based on A-286," *Metall. Trans. A*, 6A (1975) 1431-1442.
38. A. W. Thompson, "Yielding in Nickel as a Function of Grain or Cell Size," *Acta Metall.*, 23 (1975) 1337-1342.
39. A. W. Thompson, "Mechanical Behavior of Face-Centered Cubic Metals Containing Helium," *Materials Science and Engineering*, 21 (1975) 41-48.
40. A. W. Thompson and H. J. Saxton, "Abstract: Mechanical Properties of Thick Electrodeposits of Ni and Ni-Co Alloys," *J. Vacuum Sci. Technol.*, 12 (1975) 760-761.
41. A. W. Thompson, "Comment on the Flow Stress-Grain Size Relationship in Aluminum," *Scripta Metall.*, 9 (1975) 1069-1070.
42. I. M. Bernstein and A. W. Thompson, "Resisting Hydrogen Embrittlement," Chapter IX in *Alloy and Microstructural Design*, J.K. Tien and G. S. Ansell, eds., Academic Press, New York (1976) 303-347.
43. A. W. Thompson and O. Buck, "Hydrogen Effects on Martensite Formation," *Metall. Trans. A*, 7A (1976) 329-331.
44. N. E. Paton, J. C. Williams, J. C. Chesnutt, and A. W. Thompson, "The Effects of Microstructure on the Fatigue and Fracture of Commercial Titanium Alloys," in *Alloy Design for Fatigue and Fracture Resistance* (AGARD Conf. Proceedings No. 85), NATO/AGARD, Brussels (1976) p. 4.1-4.14.
45. A. W. Thompson, "Hydrogen-Induced Ductility Loss in Commercial Precipitation-Strengthened Stainless Steels," *Metall. Trans. A*, 7A (1976) 315-318.
46. I. M. Bernstein and A. W. Thompson, "Effect of Metallurgical Variables on Environmental Fracture of Steels," *International Metals Reviews* (Review No. 212), 21 (1976) 269-287.
47. A. W. Thompson and P. F. Weihrauch, "Ductile Fracture: Nucleation at Inclusions," *Scripta Metall.*, 10 (1976) 205-210.
48. J. K. Tien, A. W. Thompson, I. M. Bernstein and R. J. Richards, "Hydrogen Transport by Dislocations," *Metall. Trans. A*, 7A (1976) 821-829.
49. A. W. Thompson, "The Mechanism of Hydrogen Participation in Ductile Fracture," in *Effect of Hydrogen on Behavior of Materials*, A. W. Thompson and I. M. Bernstein, eds., TMS-AIME, New York (1976) 467-477.
50. R. B. Thompson, A. W. Thompson and D. O. Thompson, "Transportation of Hydrogen in Pipelines: Interaction of NDE and Material Requirements," in *Effect of Hydrogen on Behavior of Materials*, A. W. Thompson and I. M. Bernstein, eds., TMS-AIME, New York (1976) 612-621.
51. H. J. Saxton, A. J. West and A. W. Thompson, "New Method for Long-Term Slow Crack Growth Testing in Hydrogen," in *Effect of Hydrogen on Behavior of Materials*, A. W. Thompson and I. M. Bernstein, eds., TMS-AIME, New York (1976) 631-641.
52. A. W. Thompson, "Comments on 'Grain Size Effects on Fatigue of Constantan,'" letter to the editor, *Materials Science and Engineering*, 26 (1976) 289.
53. A. W. Thompson, "Work Hardening Near Grain Boundaries: Experimental Observations in 70-30 Brass," in *Proc. Fourth Internat. Conf. on Strength of Metals and Alloys*, E.N.S.M.I.M., Nancy, France (1976) 405-410.

PUBLICATIONS A.W. Thompson

54. A. W. Thompson, "Experiments on Design of a Strong, Hydrogen-Resistant Fe-Ni-Cr Alloy," in *Proc. Fourth Internat. Conf. on Strength of Metals and Alloys*, E.N.S.M.I.M., Nancy, France (1976) 634-638.
55. R. Garber, I. M. Bernstein, and A. W. Thompson, "Effect of Hydrogen on Ductile Fracture of Spheroidized Steel," *Scripta Metall.*, 10 (1976) 341-345.
56. A. W. Thompson, "Effect of Grain Size on Work Hardening in Nickel," *Acta Metall.*, 25 (1977) 83-86.
57. A. W. Thompson, "Stainless Steels in High Pressure Hydrogen," Chapter 46 in *Handbook of Stainless Steels*, D. Peckner and I. M. Bernstein, eds., McGraw-Hill, New York (1977); abbreviated as "How High-Pressure Hydrogen Affects Stainless Steels," *Metal Progress*, 110 (No. 2), July 1976, 30-33.
58. A. W. Thompson, "Substructure Strengthening Mechanisms," *Metall. Trans. A*, 8A (1977) 833-842.
59. A. W. Thompson and I. M. Bernstein, "Selection of Structural Materials for Hydrogen Pipelines and Storage Vessels," *Int. J. Hydrogen Energy*, 2 (1977) 163-173; also in *Proc. First World Hydrogen Energy Conf.*, Univ. Miami, Coral Gables (1976) 9B47-9B65.
60. A. W. Thompson, "Structural Materials Use in a Hydrogen Energy Economy," *Int. J. Hydrogen Energy*, 2 (1977) 299-307.
61. A. W. Thompson, "Hydrogen Effects on Fracture of PH 13-8 Mo Steel," in *Fracture 1977* (Proc. 4th Internat. Conf. on Fracture), D. M. R. Taplin, ed., Univ. of Waterloo Press, Waterloo, Ont. (1977) Vol. 2, 237-242.
62. A. W. Thompson and I. M. Bernstein, "The Role of Plastic Fracture Processes in Hydrogen Embrittlement," in *Fracture 1977* (Proc. 4th Internat. Conf. on Fracture), D.M.R. Taplin, ed., University of Waterloo Press, Waterloo, Ont. (1977) Vol. 2, 249-254.
63. A. W. Thompson and J. C. Williams, "Nuclei for Ductile Fracture in Titanium," in *Fracture 1977* (Proc. 4th Internat. Conf. on Fracture), D.M.R. Taplin, ed., Univ. of Waterloo Press, Waterloo, Ont. (1977) Vol. 2, 343-348.
64. C.G. Rhodes and A.W. Thompson, "Microstructure and Hydrogen Performance of Alloy 903," *Metall. Trans. A*, 8A (1977) 949-954.
65. A.W. Thompson, "Materials for Hydrogen Service," in *Transmission and Storage*, Vol. II of *Hydrogen: Its Technology and Implications*, K.E. Cox and K.D. Williamson, eds., CRC Press, Cleveland (1977) 85-124.
66. A. Wolfenden, W.H. Robinson and A.W. Thompson, "Mechanical Damping in Polycrystalline Ni-25 a/o Co," *Scripta Metall.*, 11 (1977) 71-76.
67. A.W. Thompson, "Polycrystal Hardening," in *Work Hardening in Tension and Fatigue*, A.W. Thompson, ed., TMS-AIME, New York (1977) 89-126.
68. A.W. Thompson and I.M. Bernstein, "The Influence of Hydrogen on Plastic Fracture Processes," in *Hydrogen in Metals* (Proc. 2nd Internat. Congress), Pergamon Press, New York (1977) Vol. 10, paper 3A-6.
69. C.G. Rhodes and A.W. Thompson, "The Composition Dependence of Stacking Fault Energy in Austenitic Stainless Steels," *Metall. Trans. A*, 8A (1977) 1901-1906.

PUBLICATIONS A.W. Thompson

70. A.W. Thompson, "Microstructural Factors in Hydrogen Embrittlement and Stress Corrosion Cracking," in *Environmental Degradation of Engineering Materials*, M.R. Louthan and R.P. McNitt, eds., V.P.I. Press, Blacksburg, VA (1977) 3-17.
71. J. Albrecht, B.J. McTiernan, I.M. Bernstein, and A.W. Thompson, "Hydrogen Embrittlement in a High-Strength Aluminum Alloy," *Scripta Metall.*, 11 (1977) 893-897.
72. A.W. Thompson, "Metallurgical Characteristics of Hydrogen Embrittlement," *Plating and Surface Finishing*, 65, No. 9 (1978) 36-44.
73. I.M. Bernstein and A.W. Thompson, "An Evaluation of Hydrogen Embrittlement Mechanisms," in *Mechanisms of Environment-Sensitive Cracking of Materials*, P.R. Swann, F.P. Ford, and A.R.C. Westwood, eds., Metals Society, London (1978) 412-424.
74. A.W. Thompson, "Hydrogen Embrittlement of Stainless Steels and Carbon Steels," in *1978 Proceedings – Refining Dept.* (43rd Midyear Meeting), Amer. Petrol. Inst., Washington, DC (1978) 317-326.
75. J.C. Chesnutt, A.W. Thompson and J.C. Williams, *Influence of Metallurgical Factors on the Fatigue Crack Growth Rate in Alpha-Beta Titanium Alloys*, Technical Report AFML-TR-78-68, Air Force Materials Laboratory, Wright-Patterson AFB, Ohio, May, 1978.
76. A.W. Thompson, "Ductile Fracture Topography: Geometrical Contributions and Effects of Hydrogen," *Metall. Trans. A*, 10A (1979) 727-731.
77. A.W. Thompson, "Short-range Order Parameters in Ni-25 pct Co from Mössbauer Data," *Metall. Trans. A*, 10A (1979) 126-127.
78. A.W. Thompson, "Discussion of 'The Mechanism of Ductile Intergranular Fracture'," *Scripta Metall.*, 13 (1979) 329-330.
79. A.W. Thompson, "Effect of Metallurgical Variables on Environmental Fracture of Engineering Materials," in *Environment-Sensitive Fracture of Engineering Materials*, Z.A. Foroulis, ed., TMS-AIME, Warrendale, PA (1979) 379-410.
80. C. Chen, A.W. Thompson and I.M. Bernstein, "Microstructure and Stress Corrosion Cracking of Low-Carbon Alloy Steel Welds. Part I. The Effect of Welding Variables on Microstructure of HY-130 Steels," in *Weldments—Physical Metallurgy and Failure Phenomena* (Proc. Fifth Bolton Landing Conf.), R.J. Christoffel, E.F. Nippes and H.D. Solomon, eds., General Electric, Schenectady (1979) 219-229.
81. C. Chen, A.W. Thompson and I.M. Bernstein, "Microstructure and Stress Corrosion Cracking of Low-Carbon Alloy Steel Welds. Part II. Fractographic Studies of Stress Corrosion Cracking of HY-130 Steel Weldments," in *Weldments—Physical Metallurgy and Failure Phenomena* (Proc. Fifth Bolton Landing Conf.), R.J. Christoffel, E.F. Nippes and H.D. Solomon, eds., General Electric, Schenectady (1979) 231-242.
82. A.W. Thompson and J.C. Chesnutt, "Identification of a Fracture Mode: The Tearing Topography Surface," *Metall. Trans. A*, 10A (1979) 1193-1196.
83. J. Albrecht, A.W. Thompson and I.M. Bernstein, "The Role of Microstructure in Hydrogen-Assisted Fracture of 7075 Aluminum," *Metall. Trans. A*, 10A (1979) 1759-1766.
84. M. Taheri, J. Albrecht, I.M. Bernstein and A.W. Thompson, "Strain-rate Effects on Hydrogen Embrittlement of 7075 Aluminum," *Scripta Metall.*, 13 (1979) 871-875.

PUBLICATIONS A.W. Thompson

85. A. W. Thompson and I. M. Bernstein, "The Role of Metallurgical Variables in Hydrogen-Assisted Environmental Fracture," in *Advances in Corrosion Science and Technology*, M. G. Fontana and R. W. Staehle, eds., Vol. 7, Plenum, New York (1980) 53-175.
86. A. W. Thompson, "Current Status of the Role of Hydrogen in Stress Corrosion Cracking," *Materials Science and Engineering*, 43 (1980) 41-46.
87. W.A. McInteer, A.W. Thompson and I.M. Bernstein, "The Effect of Hydrogen on the Slip Character of Nickel," *Acta Metall.*, 28 (1980) 887-894.
88. W.M. Robertson and A.W. Thompson, "Permeation Measurements of Hydrogen Trapping in 1045 Steel," *Metall. Trans. A*, 11A (1980) 553-557; see also 14A (1983) 158.
89. J.A. Brooks, A.W. Thompson and J.C. Williams, "Weld Cracking of Austenitic Stainless Steels—Effects of Impurities and Minor Elements," in *Physical Metallurgy of Metal Joining*, R. Kossowsky and M.E. Glicksman, eds., TMS-AIME, Warrendale, PA (1980) 117-134.
90. C. Chen, A.W. Thompson and I.M. Bernstein, "The Correlation of Microstructure and Stress Corrosion Fracture of HY-130 Steel Weldments," *Metall. Trans. A*, 11A (1980) 1723-1730.
91. I.M. Bernstein and A.W. Thompson, "Effect of Structural Inhomogeneities on the Hydrogen Embrittlement of Steel," in *Hydrogen in Metals* (Proc. 2nd JIM Internat. Symp., JIMIS-2), *Trans. Japan Inst. Metals*, 21 (Suppl.) (1980) 429-432.
92. A.W. Thompson and I.M. Bernstein, "Critical Tests of the Role of Hydrogen in Stress Corrosion Cracking," in *Hydrogen in Metals* (Proc. 2nd JIM Internat. Symp., JIMIS-2), *Trans. Japan Inst. Metals*, 21 (Suppl.) (1980) 589-92.
93. R. Garber, I.M. Bernstein and A.W. Thompson, "Hydrogen-Assisted Ductile Fracture of Spheroidized Carbon Steels," *Metall. Trans. A*, 12A (1981) 225-234.
94. J.C. Chesnutt, A.W. Thompson and J.C. Williams, "Fatigue Crack Propagation and Fracture of Titanium Alloys," in *Titanium '80* (Proc. 4th Internat. Conf. on Titanium), H. Kimura and O. Izumi, eds., TMS-AIME, Warrendale, PA (1981) Vol. 3, 1875-1882.
95. A.W. Thompson and B.C. Wonsiewicz, "The Role of Texture in Work Hardening of Copper," *Metall. Trans. A*, 12A (1981) 531-534.
96. A.W. Thompson and I.M. Bernstein, "Microstructure and Hydrogen Embrittlement," in *Hydrogen Effects in Metals*, I.M. Bernstein and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1981) 291-308.
97. R.E. Swanson, A.W. Thompson, I.M. Bernstein and J.L. Maloney, "Effect of Stress State on the Stress Corrosion Cracking of 7075 Aluminum," in *Hydrogen Effects in Metals*, I.M. Bernstein and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1981) 459-66.
98. J.J. Lewandowski and A.W. Thompson, "The Effect of Austenite Stability on Sustained Load Cracking and Fracture Morphology of Stainless Steels in 1 Atmosphere Hydrogen," in *Hydrogen Effects in Metals*, I.M. Bernstein and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1981) 629-636.
99. M. Elices, V. Sanchez, I. Bernstein, A. Thompson and J. Piñero, "Hydrogen Embrittlement of Pre-stressing Steel," in *Hydrogen Effects in Metals*, I.M. Bernstein and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1981) 971-78.
100. D.J. Christenson, I.M. Bernstein, A.W. Thompson, E.J. Danielson, M. Elices and F. Gutierrez-Soto

PUBLICATIONS A.W. Thompson

- lana, "Hydrogen Compatibility of a Line Pipe Steel," in *Hydrogen Effects in Metals*, I.M. Bernstein and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1981) 997-1004.
101. J.E. Costa and A.W. Thompson, "Hydrogen Embrittlement of Quenched and Tempered SAE 1045 Steel," *Metall. Trans. A*, 12A (1981) 761-771.
  102. H. Margolin and A.W. Thompson, "Advances in Understanding of Boundary Strengthening," in *Deformation of Polycrystals: Mechanisms and Microstructure* (Proc. 2nd Risø Internat. Symp.), N. Hansen, A. Horsewell, T. Leffers and H. Lilholt, eds., Risø Nat. Lab., Roskilde, DK (1981) 197-203.
  103. J.C. Williams and A.W. Thompson, "Strengthening of Metals and Alloys," in *Metallurgical Treatises*, J.K. Tien and J.F. Elliott, eds., TMS-AIME, Warrendale, PA, (1981) 487-504.
  104. A.W. Thompson and I.M. Bernstein, "Stress Corrosion Cracking and Hydrogen Embrittlement," in *Metallurgical Treatises*, J.K. Tien and J.F. Elliott, eds., TMS-AIME, Warrendale, PA (1981) 589-601.
  105. L. Christodoulou, M.F. Stevens, J.J. Lewandowski, I.M. Bernstein and A.W. Thompson, "Studies of Microstructural Effects in Hydrogen Embrittlement of Steels," in *Environmental Degradation of Engineering Materials in Hydrogen*, M.R. Louthan, R.P. McNitt and R.D. Sisson, eds., V.P.I. Press, Blacksburg, VA (1981) 161-174.
  106. A.W. Thompson, "The Hydrogen Economy: Materials Problems and Current Status," in *Hydrogen-Information*, S. Talbot-Besnard, ed., No. 11, Thermodata, Grenoble (1981) 1-20.
  107. D.A. Hardwick, M. Taheri, A.W. Thompson and I.M. Bernstein, "Hydrogen Embrittlement in a 2000-Series Aluminum Alloy," *Metall. Trans. A*, 13A (1982) 235-239.
  108. J. Albrecht, I.M. Bernstein and A.W. Thompson, "Evidence for Dislocation Transport of Hydrogen in Aluminum," *Metall. Trans. A*, 13A (1982) 811-820.
  109. J. C. Williams, A. W. Thompson, C. G. Rhodes, and J. C. Chesnutt, "Strengthening and Fracture Mechanisms in Titanium Alloys," in *Titanium and Titanium Alloys* (Proc. 3rd Internat. Conf. on Titanium), J. C. Williams and A. F. Belov, eds., Plenum, New York (1982) Vol. 1, 467-496.
  110. A. W. Thompson, J.C. Williams, J.D. Frandsen, and J. C. Chesnutt, "The Effect of Microstructure on Fatigue Crack Propagation Rate in Ti-6 Al-4 V," in *Titanium and Titanium Alloys* (Proc. 3rd Internat. Conf. on Titanium), J. C. Williams and A. F. Belov, eds., Plenum, New York (1982) Vol. 1, 691-704.
  111. J.E. Costa and A.W. Thompson, "Hydrogen Cracking in Nominally Pearlitic 1045 Steel," *Metall. Trans. A*, 13A (1982) 1315-1318.
  112. N.E. Paton and A.W. Thompson, "Creep of Hydrogen-charged Ti-5 Al-2.5 Sn at Room Temperature," *Metall. Trans. A*, 13A (1982) 1531-1532.
  113. G.T. Gray, III, A.W. Thompson, J.C. Williams and D.H. Stone, "The Effect of Microstructure on Fatigue Crack Propagation in Pearlitic Eutectoid Steels," *Canadian Metallurgical Quarterly*, 21 (1982) 73-78.
  114. G.T. Gray, A.W. Thompson, J.C. Williams and D.H. Stone, "Influence of Microstructure on Fatigue Crack Growth Behavior in Fully Pearlitic Steels," in *Fatigue Thresholds*, J. Backlund, A. Blom and C. J. Beevers, eds., Eng. Matls. Advisory Svc., Ltd. (EMAS), Warley, U.K. (1982) Vol. 1, 345-361.
  115. R.E. Swanson, I.M. Bernstein and A.W. Thompson, "Stress Corrosion Cracking of 7075 Aluminum

PUBLICATIONS A.W. Thompson

- in the T6-RR Temper," *Scripta Metall.*, 16 (1982) 321-324.
116. A.W. Thompson and J.A. Brooks, "The Mechanism of Precipitation Strengthening in an Iron-base Superalloy," *Acta Metall.*, 30 (1982) 2197-2203.
117. A.W. Thompson, "Additive Strengthening in an Iron-Base Superalloy," *Scripta Metall.*, 16 (1982) 1079-1082.
118. A.W. Thompson and I.M. Bernstein, "Quantitative Metallography and Fractography in Hydrogen Embrittlement Studies," in *Advanced Techniques for the Characterization of Hydrogen in Metals*, N.F. Fiore and B.J. Berkowitz, eds., TMS-AIME, Warrendale, PA (1982) 43-60.
119. I.M. Bernstein and A.W. Thompson, "The Use of the Electrochemical Permeation Technique to Study Hydrogen Transport and Trapping in Iron," in *Advanced Techniques for the Characterization of Hydrogen in Materials*, N.F. Fiore and B.J. Berkowitz, eds., TMS-AIME, Warrendale, PA (1982) 89-103.
120. A.W. Thompson, "Hydrogen-assisted Fracture in Single-phase Nickel Alloys," *Scripta Metall.*, 16 (1982) 1189-1192.
121. A.W. Thompson and I.M. Bernstein, "Microstructural Effects on Hydrogen Embrittlement," in *Hydrogen and Materials* (Proc. 3rd Internat. Congress) P. Azou, ed., Imprimplans, Paris (1982) Vol. 2, 845-850.
122. J.A. Brooks, J.C. Williams and A.W. Thompson, "Solidification and Solid State Transformations of Austenitic Stainless Steel Welds," in *Trends in Welding Research in the United States*, S.A. David, ed., A.S.M., Metals Park, OH (1982) 331-355.
123. T.J. Kosco and A.W. Thompson, "The Effect of Hydrogen on Constrained Yielding and Fracture in a Spheroidized Medium-carbon Steel," *Scripta Metall.*, 16 (1982) 1367-1371.
124. I.M. Bernstein, A.W. Thompson, F. Gutierrez-Solana and L. Christodoulou, "Microstructural Control of Hydrogen Embrittlement in Steel," in *Current Solutions to Hydrogen Problems in Steels*, C.G. Interrante and G.M. Pressouyre, eds., A.S.M., Metals Park, OH (1982) 259-262.
125. J.A. Brooks, J.C. Williams and A.W. Thompson, "STEM Analysis of Primary Austenite Solidified Stainless Steel Welds," *Metall. Trans. A*, 14A (1983) 23-31.
126. J.A. Brooks, A.W. Thompson and A.J. West, "Effect of Weld Composition and Microstructure on Hydrogen-assisted Fracture of Austenitic Stainless Steels," *Metall. Trans. A*, 14A (1983) 75-84.
127. I.M. Bernstein and A.W. Thompson, "The Importance of Transient Effects Resulting from Dislocation Transport of Hydrogen," in *Atomistics of Fracture* (Proc. NATO Adv. Research Inst.), R.M. Latanision and J.R. Pickens, eds., Plenum Press, New York (1983) 813-820.
128. J.A. Brooks, A.W. Thompson and J.C. Williams, "Variations in Weld Ferrite Content due to P and S," *Welding Journal, Research Supplement*, 62 (1983) 220s-225s.
129. G.T. Gray, J.C. Williams and A.W. Thompson, "Roughness-induced Crack Closure: An Explanation for Microstructurally Sensitive Fatigue Crack Growth," *Metall. Trans. A*, 14A (1983) 421-433.
130. J.A. Brooks, J.C. Williams and A.W. Thompson, "Microstructural Origin of the Skeletal Ferrite Morphology of Austenitic Stainless Steel Welds," *Metall. Trans. A*, 14A (1983) 1271-1281.
131. D.A. Hardwick, A.W. Thompson and I.M. Bernstein, "The Effect of Copper Content and Microstructure on the Hydrogen Embrittlement of Al-6 Zn-2 Mg Alloys," *Metall. Trans. A*, 14A (1983)

PUBLICATIONS A.W. Thompson

2517-2526.

132. T.B. McLaren and A.W. Thompson, "Effect of Microstructure and Hydrogen on Fatigue Crack Propagation in a Medium-carbon Steel," *Materials Science and Engineering*, 57 (1983) L21-L25.
133. P. Maulik, J. Burke and A.W. Thompson, "Structural Changes in 21-6-9 Stainless Steel on Low Temperature Deformation," *Scripta Metall.*, 17 (1983) 233-236.
134. A.W. Thompson, "The Relation Between Changes in Ductility and in Ductile Fracture Topography: Control by Microvoid Nucleation," *Acta Metall.*, 31 (1983) 1517-1523.
135. A.W. Thompson and J.C. Williams, "Deformation Behaviour of Cu-2.5% Ti," in *Deformation of Multi-phase and Particle-containing Materials* (Proc. 4th Risø Internat. Symp.), J.B. Bilde-Sorensen, N. Hansen, A. Horsewell, T. Leffers and H. Lilholt, eds., Risø Nat. Lab., Roskilde, DK (1983) 551-556.
136. M. Mueller, A.W. Thompson and I.M. Bernstein, "Recovery Behavior of Hydrogen-Charged 7075-T6 Aluminum," *Scripta Metall.*, 17 (1983) 1039-1042.
137. I.M. Bernstein and A.W. Thompson, "The Role of Microstructure in Hydrogen Embrittlement," in *Hydrogen Embrittlement and Stress Corrosion Cracking* (Troiano Festschrift Volume), R. Gibala and R. F. Hehemann, eds., A.S.M., Metals Park (1984) 135-152.
138. A.W. Thompson and I.M. Bernstein, "Loading Mode (Mode I-Mode III) Testing for Stress Corrosion Cracking," in *Environment-Sensitive Fracture: Evaluation and Comparison of Test Methods* (ASTM STP 821), S.W. Dean, E.N. Pugh and G.M. Ugiansky, eds., A.S.T.M., Philadelphia (1984) 114-127.
139. A.W. Thompson and M.F. Ashby, "Fracture Surface Microroughness," *Scripta Metall.*, 18 (1984) 127-130.
140. J.A. Brooks, A.W. Thompson and J.C. Williams, "A Fundamental Study of Beneficial Effects of Delta Ferrite in Reducing Weld Cracking," *Welding Journal, Research Supplement*, 63 (1984) 71s-83s.
141. A.W. Thompson and J.C. Williams, "Age Hardening in Cu-2.5 wt pct Ti," *Metall. Trans. A*, 15A (1984) 931-937.
142. G.T. Gray, A.W. Thompson and J.C. Williams, "The Effect of Microstructure on Fatigue Crack Path and Crack Propagation Rate," in *Fatigue Crack Growth Threshold Concepts*, D.L. Davidson and S. Suresh, eds., TMS-AIME, Warrendale, PA (1984) 131-143.
143. A.J. Porter and A.W. Thompson, "On the Mechanism of Precipitation Strengthening in Cu-Ti Alloys," *Scripta Metall.*, 18 (1984) 1185-88.
144. A.W. Thompson, "Modelling of Fracture Micromechanisms," in *Advances in Fracture Research* (Proc. 6th Internat. Conf. on Fracture), S.R. Valluri, D.M.R. Taplin, P.R. Rao, J.F. Knott, and R. Dubey, eds., Pergamon, Oxford (1984) Vol. 2, 1393-1399.
145. J.J. Lewandowski and A.W. Thompson, "Microstructural Effects on the Cleavage Fracture Stress in Fully Pearlitic 1080 Steel," in *Advances in Fracture Research* (Proc. 6th Internat. Conf. on Fracture), S.R. Valluri, D.M.R. Taplin, P.R. Rao, J.F. Knott, and R. Dubey, eds., Pergamon, Oxford (1984) Vol. 2, 1515-1522.
146. R.O. Ritchie and A.W. Thompson, "On Macroscopic and Microscopic Analyses for Crack Initiation and Crack Growth Toughness in Ductile Alloys," *Metall. Trans. A*, 16A (1985) 233-248.

PUBLICATIONS A.W. Thompson

147. G.T. Gray, A.W. Thompson and J.C. Williams, "Influence of Microstructure on Fatigue Crack Initiation in Fully Pearlitic Steels," *Metall. Trans. A*, 16A (1985) 753-760.
148. M.P. Mueller, A.W. Thompson and I.M. Bernstein, "Stress Corrosion Behavior of 7075 Aluminum in 1N Aluminum Chloride Solutions," *Corrosion*, 41 (1985) 127-136.
149. J.C. Chesnutt, J.C. Williams and A.W. Thompson, "Fatigue Crack Propagation in Titanium Alloys," in *Fatigue '84*, C.J. Beevers, ed., Eng. Mtls. Advisory Svc., Ltd. (EMAS), Warley, UK (1985) 341-350.
150. I.-G. Park and A.W. Thompson, "The Effect of Hydrogen on Constrained Yielding in a Spheroidized AISI 1520 Steel," *Scripta Metall.*, 19 (1985) 953-957.
151. H. Dong and A.W. Thompson, "Effect of Grain Size and Strain on Slip Length in 70-30 Brass," *Metall. Trans. A*, 16A (1985) 1025-1030.
152. A.W. Thompson, "Fractographic Measures of Localized Deformation in Fracture," in *Fracture: Measurement of Localized Deformation by Novel Techniques*, W. W. Gerberich and D.L. Davidson, eds., TMS-AIME, Warrendale, PA (1985) 177-189.
153. A.W. Thompson, "Hydrogen-assisted Fracture at Notches," *Materials Science and Technology*, 1 (1985) 711-718.
154. A.W. Thompson and H. Dong, "The Role of Grain Size in Work Hardening of Brass and Ni-Co Alloys," in *Strength of Metals and Alloys* (Proc. 7th Internat. Conf. Strength of Metals and Alloys), H.J. McQueen, J.-P. Bailon, J.I. Dickson, J.J. Jonas and M.G. Akben, eds., Pergamon, New York (1985) Vol. 1, 165-170.
155. J.E. Costa, D. Banerjee, J.C. Williams and A.W. Thompson, "The Effect of Hydrogen on the Deformation-induced  $\alpha'$  Martensite in Ti-10 V-2 Fe-3 Al," in *Strength of Metals and Alloys* (Proc. 7th Internat. Conf. Strength of Metals and Alloys), H.J. McQueen, J.-P. Bailon, J.I. Dickson, J.J. Jonas and M.G. Akben, eds., Pergamon, New York (1985) Vol. 1, 527-532.
156. A.W. Thompson, "The Contribution of Local Deformation to Fracture Toughness Through Fractographic Measurements," in *Strength of Metals and Alloys*, (Proc. 7th Internat. Conf. Strength of Metals and Alloys), H.J. McQueen, J.-P. Bailon, J.I. Dickson, J.J. Jonas and M.G. Akben, eds., Pergamon, New York (1985) Vol. 2, 1205-1210.
157. I.M. Bernstein and A.W. Thompson, "Hydrogen Embrittlement of Steels," in *Encyclopedia of Materials Science and Engineering*, M.B. Bever, ed., Pergamon, New York (1986) 1564-1569.
158. A.W. Thompson, "Environmentally Assisted Crack Growth," in *Encyclopedia of Materials Science and Engineering*, M.B. Bever, ed., Pergamon, New York (1986) 2241-2246.
159. D.J. Alexander, J.J. Lewandowski, W.J. Sisak, and A.W. Thompson, "Yielding and Work Hardening Effects in Notched Bend Bars," *J. Mechanics and Physics of Solids*, 34 (1986) 433-454.
160. M.A. Daeubler and A.W. Thompson, "Microstructural Effects on Short Fatigue Cracks in Eutectoid Steels," in *Small Fatigue Cracks* (Engineering Foundation Conf. Proceedings), R.O. Ritchie and J. Lankford, eds., TMS-AIME, Warrendale, PA (1986) 157-164.
161. J.M. Larsen, T. Nicholas, A.W. Thompson and J.C. Williams, "Small Crack Growth in Titanium-Aluminum Alloys," in *Small Fatigue Cracks* (Engineering Foundation Conf. Proceedings), R.O. Ritchie and J. Lankford, eds., TMS-AIME, Warrendale, PA (1986) 499-512.

PUBLICATIONS A.W. Thompson

162. J.J. Lewandowski and A.W. Thompson, "Effect of the Prior Austenite Grain Size on the Ductility of Fully Pearlitic Eutectoid Steel," *Metall. Trans. A*, 17A (1986) 461-472.
163. R.E. Swanson, A.W. Thompson and I.M. Bernstein, "Effect of Notch Root Radius on Stress Intensity in Mode I and Mode III Loading," *Metall. Trans. A*, 17A (1986) 1633-1637.
164. J.J. Lewandowski and A.W. Thompson, "Microstructural Effects on the Cleavage Fracture Stress of Fully Pearlitic Eutectoid Steel," *Metall. Trans. A*, 17A (1986) 1769-1786.
165. J.J. Lewandowski and A.W. Thompson, "Hydrogen Effects on Cleavage Fracture in Fully Pearlitic Eutectoid Steel," in *Fracture Control of Engineering Structures* (Proc. 6th European Conf. on Fracture), Amsterdam (1986) 1985-1994.
166. W.M. Garrison and A.W. Thompson, "Micromechanistic Expressions of Continuum Microscale Parameters for Stable Crack Growth," *Metall. Trans. A*, 17A (1986) 2249-2253.
167. A. Cabral, A.W. Thompson, I.M. Bernstein and D.H. Stone, "Thermal Fatigue of Eutectoid Wheel Steels," *Materials Science and Engineering*, 93 (1987) 73-82.
168. A.W. Thompson, "Distributed Damage Processes in Fracture," in *Physics and Chemistry of Fracture* (Proc. NATO Adv. Research Workshop), R.M. Latanision and R.H. Jones, eds., Martinus Nijhoff, Dordrecht (1987) 129-43.
169. R. Kerr, F. Solana, I.M. Bernstein and A.W. Thompson, "Microstructural Effects on the Stress Corrosion Cracking Behavior of Medium and High Strength Steels," *Metall. Trans. A*, 18A (1987) 1011-1022.
170. R. Solana, C. Takamadate, I.M. Bernstein and A.W. Thompson, "The Role of Retained Austenite in Stress Corrosion Cracking of Steels," *Metall. Trans. A*, 18A (1987) 1023-1028.
171. M. Dollar and A.W. Thompson, "The Effect of Grain Size and Strain on the Tensile Flow Stress of Quenched Aluminum," *Acta Metall.*, 35 (1987) 227-235.
172. J.J. Lewandowski and A.W. Thompson, "Micromechanisms of Cleavage Fracture in Fully Pearlitic Microstructures," *Acta Metall.*, 35 (1987) 1453-1462.
173. J.C. Costa, J.C. Williams and A.W. Thompson, "The Effect of Hydrogen on Mechanical Properties in Ti-10 V-2 Al-3 Fe," *Metall. Trans. A*, 18A (1987) 1421-1430.
174. M. Dollar, A.W. Thompson, I.M. Bernstein and D.H. Stone, "Deformation and Wear in Rail Steels," *Contact Mechanics and Wear of Rail/Wheel Systems II*, G.M.L. Gladwell, H. Ghonem and J. Kalousek, eds., Univ. of Waterloo Press, Waterloo, Ont. (1987) 315-323.
175. M.A. Daeubler, A.W. Thompson and I.M. Bernstein, "Short Fatigue Cracks in Rail Steels," in *Contact Mechanics and Wear of Rail/Wheel Systems II*, G.M.L. Gladwell, H. Ghonem and J. Kalousek, eds., Univ. of Waterloo Press, Waterloo, Ont. (1987) 451-461.
176. C.P. You, A.W. Thompson and I.M. Bernstein, "Proposed Failure Mechanism in a Discontinuously Reinforced Aluminum Alloy," *Scripta Metall.*, 21 (1987) 181-185.
177. A.W. Thompson, "Modeling of Local Strains in Ductile Fracture," *Metall. Trans. A*, 18A (1987) 1877-1886.
178. D. Nguyen, A.W. Thompson and I.M. Bernstein, "Microstructural Effects on Hydrogen Embrittlement in a High Purity 7075 Aluminum Alloy," *Acta Metall.*, 35 (1987) 2417-25.

PUBLICATIONS A.W. Thompson

179. J.C. Williams, J.C. Chesnutt and A.W. Thompson, "The Effects of Microstructure on Ductility and Fracture Toughness of  $\alpha+\beta$  Titanium Alloys," in *Microstructure, Fracture Toughness and Fatigue Crack Growth Rate in Titanium Alloys*, A.K. Chakrabarti and J.C. Chesnutt, eds., TMS-AIME, Warrendale, PA (1987) 255-271.
180. D.A. Hardwick, A.W. Thompson and I.M. Bernstein, "The Effect of Copper Content and Heat Treatment on the Hydrogen Embrittlement of 7050-type Alloys," *Corrosion Science*, 28 (1988) 1127-1137.
181. M.A. Daeubler, A.W. Thompson and I.M. Bernstein, "Crack Initiation and Near-threshold Fatigue Crack Propagation Behavior of the Iron-base Superalloy A-286," *Metall. Trans. A*, 19A (1988) 301-308.
182. M. Dollar, I.M. Bernstein and A.W. Thompson, "Influence of Deformation Substructure on Flow and Fracture of Fully Pearlitic Steel," *Acta Metall.*, 36 (1988) 311-320.
183. M. Dollar, A.W. Thompson and I.M. Bernstein, "Influence of Deformation Structure on Tensile and Fatigue Fracture in a Fully Pearlitic Steel," in *Strength of Metals and Alloys* (Proc. 8th Internat. Conf. Strength of Metals and Alloys), P.O. Kettunen, T.K. Lepistö and M.E. Lehtonen, eds., Pergamon, Oxford (1988) Vol. 1, 647-652.
184. A.W. Thompson, "Shape and Behavior of Small Fatigue Cracks," in *Strength of Metals and Alloys* (Proc. 8th Internat. Conf. Strength of Metals and Alloys), P.O. Kettunen, T.K. Lepistö and M.E. Lehtonen, eds., Pergamon, Oxford (1988) Vol. 1, 781-786.
185. I.-G. Park and A.W. Thompson, "Ductile Fracture in Spheroidized 1520 Steel," *Acta Metall.*, 36 (1988) 1653-1664.
186. A.W. Thompson, "Abstract: Ductile Fracture in Composites," in *Interfaces in Polymer, Ceramic, and Metal Matrix Composites*, H. Ishida, ed., Elsevier, New York (1988) 161.
187. A.W. Thompson, W.-Y. Chu and J.C. Williams, "Hydrogen in Titanium Aluminides," in *Summary Proceedings of the 2nd Workshop on Hydrogen-Materials Interaction*, H.G. Nelson, ed., NASP Joint Program Office Workshop Pub. 1004, NASA-Ames, Moffett Field, CA (Nov. 1988) 133-135.
188. W. Cho, A.W. Thompson and J.C. Williams, "Effect of Microstructure on Deformation Behavior of Ti-25 Al-10 Nb-3 V-1 Mo," in *1988 Titanium Aluminides Meeting*, Vol. 1, Textron Lycoming, Stratford, CT (1988), paper 9.
189. J.M. Larsen, J.C. Williams and A.W. Thompson, "Crack-Closure Effects on the Growth of Small Surface Cracks in Titanium-Aluminum Alloys," in *Mechanics of Fatigue Crack Closure* (ASTM STP 982), J.C. Newman and W. Elber, eds., A.S.T.M., Philadelphia (1988) 149-167.
190. D.J. Michel and A.W. Thompson, "Elevated Temperature Fatigue Crack Propagation," in *Fatigue '87*, R.O. Ritchie and E.A. Starke, eds., Eng. Matls. Advisory Svc., Ltd. (EMAS), Warley, U.K. (1988) Vol. II, 1057-1066.
191. P.E. Donovan and A.W. Thompson, "Microstructural Changes during Ageing of Cu-2.5 wt.% Ti," *J. Materials Science*, 24 (1989) 756-760.
192. M. Dollar, I.M. Bernstein, M. Daeubler and A.W. Thompson, "The Effect of Cyclic Loading on the Dislocation Structure of Fully Pearlitic Steel," *Metall. Trans. A*, 20A (1989) 447-451.
193. D. Juul Jensen, A.W. Thompson and N. Hansen, "The Role of Grain Size and Strain in Work Hardening and Texture Development," *Metall. Trans. A*, 20A (1989) 2803-2810.

PUBLICATIONS A.W. Thompson

194. D.M. Dimiduk, J.C. Williams and A.W. Thompson, "On APB Dragging and APB Energy Anisotropy in Binary Ni<sub>3</sub>Al," in *High-Temperature Ordered Intermetallic Alloys III* (MRS Symp. Proc. Vol. 133), C.T. Liu, A.I. Taub, N.S. Stoloff and C.C. Koch, eds., Mater. Res. Soc., Pittsburgh (1989) 467-473.
195. C.H. Ward, J.C. Williams, A.W. Thompson, D.G. Rosenthal and F.H. Froes, "Fracture Mechanisms in Titanium Aluminide Intermetallics," in *Titanium Science, Technology and Applications* (Proc. 6th World Conf. on Titanium), P. Lacombe, R. Tricot and G. Beranger, eds., Les Editions de Physique, Paris (1989) 1103-1108; reprinted in *Mem. Etudes Sci. Rev. de Metall.*, (1989) 647-653.
196. W.S. Walston, A.W. Thompson and I.M. Bernstein, "The Effect of Hydrogen on the Deformation Behavior of a Single Crystal Nickel-base Superalloy," in *Structural Integrity and Durability of Reusable Space Propulsion Systems*, NASA Conf. Publ. 10030, NASA, Washington, DC (1989) 59-66.
197. J. Chene, I.M. Bernstein and A.W. Thompson, "Role of Heat Treatment and Cathodic Charging Conditions on the Hydrogen Embrittlement of HP 7075 Aluminum Alloy," *Metall. Trans. A*, 21A (1990) 455-464.
198. I.-G. Park and A.W. Thompson, "Hydrogen Assisted Ductile Fracture in Spheroidized 1520 Steel: Part I. Axisymmetric Tension," *Metall. Trans. A*, 21A (1990) 465-477.
199. W. Cho, A.W. Thompson and J.C. Williams, "Creep of Ti-25 Al-10 Nb-3 V-1 Mo," *Metall. Trans. A*, 21A (1990) 641-651.
200. C.H. Ward, J.C. Williams and A.W. Thompson, "Microstructural Instability in the Alloy Ti-25 Al-10 Nb-3 V-1 Mo," *Scripta Metall.*, 24 (1990) 617-622.
201. M.A. Daeubler, A.W. Thompson and I.M. Bernstein, "Influence of Microstructure on Fatigue Behavior and Surface Fatigue Crack Growth of Fully Pearlitic Steels," *Metall. Trans. A*, 21A (1990) 925-933.
202. M. Niinomi, T. Kobayashi, I. Inagaki and A.W. Thompson, "The Effect of Deformation-induced Transformation on the Fracture Toughness of Commercial Titanium Alloys," *Metall. Trans. A*, 21A (1990) 1733-1744.
203. A.W. Thompson and W.-Y. Chu, "Mechanical Behavior of the Titanium Aluminide Alloy Ti-24-11," in *Summary Proceedings 3rd Workshop on Hydrogen-Materials Interaction*, H.G. Nelson, ed., NASP Joint Program Office Workshop Pub. 1007, NASA-Ames, Moffett Field, CA (Aug. 1990) 125-130.
204. K. Li and A.W. Thompson, "Fatigue Crack Initiation in the Potentiostatic Passive Corrosion Regime of CP Titanium," in *Fatigue '90*, H. Kitagawa and T. Tanaka, eds., Mater. Component Eng'g. Publications, Birmingham, UK (1990) Vol. IV, 2013-2018.
205. W.-Y. Chu and A.W. Thompson, "The Effect of Microstructure and Hydrogen as a Temporary Beta Stabilizer on Cleavage Fracture Behavior in Titanium Aluminide," in *Hydrogen Effects on Material Behavior*, N.R. Moody and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1990) 285-296.
206. W.-Y. Chu, A.W. Thompson and J.C. Williams, "Brittle Fracture Behavior and Influence of Hydride in Titanium Aluminide," in *Hydrogen Effects on Material Behavior*, N.R. Moody and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1990) 543-553.
207. W.S. Walston, A.W. Thompson and I.M. Bernstein, "The Effect of Hydrogen on the Deformation and Fracture Behavior of a Single Crystal Nickel-base Superalloy," in *Hydrogen Effects on Material Behavior*, N.R. Moody and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1990) 543-553.

PUBLICATIONS A.W. Thompson

- Behavior*, N.R. Moody and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1990) 581-590.
208. J.J. Lewandowski and A.W. Thompson, "Hydrogen Effects on Cleavage Fracture in Fully Pearlitic Eutectoid Steel," in *Hydrogen Effects on Material Behavior*, N.R. Moody and A.W. Thompson, eds., TMS-AIME, Warrendale, PA (1990) 861-870.
209. A.W. Thompson, "Creep of Alpha-2 Titanium Aluminides," in *Titanium Aluminides* (papers from Aeromat '90), C.G. Rhodes and H.A. Lipsitt, eds., Rockwell Science Center, Thousand Oaks, CA (1990) 495-507.
210. W.-Y. Chu and A.W. Thompson, "Effect of Hydrogen as a Temporary  $\beta$  Stabilizer on Microstructure and Cleavage Fracture Behavior of Alpha-2 Titanium Aluminides," *Metall. Trans. A*, 22A (1991) 71-81.
211. M.A. Daeubler, A.W. Thompson and I.M. Bernstein, "Fatigue Behavior in the Potentiostatic Passive Corrosion Regime of the Iron-base Superalloy A-286," *Metall. Trans. A*, 22A (1991) 513-519.
212. M.A. Daeubler, G.W. Warren, I.M. Bernstein and A.W. Thompson, "Modeling of Corrosion Fatigue Crack Initiation under Passive Electrochemical Conditions," *Metall. Trans. A*, 22A (1991) 521-529.
213. J.A. Brooks and A.W. Thompson, "Microstructural Development and Solidification Cracking Susceptibility of Austenitic Stainless Steel Welds," *Internat. Metals Reviews*, 36 (1991) 16-44.
214. W.S. Walston, I.M. Bernstein and A.W. Thompson, "The Role of the  $\gamma/\gamma'$  Eutectic and Porosity on the Tensile Behavior of a Single Crystal Nickel-base Superalloy," *Metall. Trans. A*, 22A (1991) 1443-1451.
215. I.-G. Park and A.W. Thompson, "Hydrogen Assisted Ductile Fracture in Spheroidized 1520 Steel: Part II. Pure Bending," *Metall. Trans. A*, 22A (1991) 1615-1626.
216. A.W. Thompson, "Environmental Effects in Titanium Aluminide Alloys," in *Environmental Effects on Advanced Materials*, R.H. Jones and R.E. Ricker, eds., TMS-AIME, Warrendale, PA (1991) 21-33.
217. R.F. Buck and A.W. Thompson, "Environmental and Frequency Effects on Fatigue Crack Growth Rates in Aluminum-Silicon Carbide Composite," in *Environmental Effects on Advanced Materials*, R.H. Jones and R.E. Ricker, eds., TMS-AIME, Warrendale, PA (1991) 297-313.
218. W.-Y. Chu and A.W. Thompson, "Hydrogen Induced Cracking and Microstructure Effect in Titanium Aluminide," in *High Performance Composites for the 1990's*, S.K. Das, C.P. Ballard and F. Marikar, eds., TMS-AIME, Warrendale, PA (1991) 143-157.
219. A.W. Thompson and W.-Y. Chu, "Effect of Grain Size and Hydrides on Mechanical Behavior of TiAl," in *Microstructure/Property Relationships in Titanium Aluminides and Alloys*, Y.-W. Kim and R.R. Boyer, eds., TMS-AIME, Warrendale, PA (1991) 165-177.
220. D.E. Albert and A.W. Thompson, "Creep Behavior of Ti-24 Al-11 Nb," in *Microstructure/Property Relationships in Titanium Aluminides and Alloys*, Y.-W. Kim and R.R. Boyer, eds., TMS-AIME, Warrendale, PA (1991) 399-406.
221. C.P. You, M. Dollar, A.W. Thompson and I.M. Bernstein, "Microstructure-property Relationships and Hydrogen Effects in a Particulate-reinforced Aluminum Composite," *Metall. Trans. A*, 22A (1991) 2445-2450.
222. W.-Y. Chu and A.W. Thompson, "Effects of Grain Size on Yield Strength in TiAl," *Scripta Metall.*

PUBLICATIONS A.W. Thompson

- Mater.*, 25 (1991) 641-644.
223. M. Niinomi, T. Kobayashi, K. Ryugoh, J.C. Williams, W.H. Garrison and A.W. Thompson, "Fracture Characteristics of Ti-24 Al-11 Nb Alloys," *Proc. Internat. Symp. on Intermetallic Compounds* (JIMIS-6), O. Izumi, ed., Japan Inst. Metals, Sendai (1991) 531-536.
224. W.S. Walston, N.R. Moody, I.M. Bernstein and A.W. Thompson, "Comparisons of  $K_{Jc}$  and  $K_{Ic}$  Values from Tests on a Single Crystal Nickel-base Superalloy," *Scripta Metall. Mater.*, 25 (1991) 1333-1337.
225. W.-Y. Chu and A.W. Thompson, "Effect of Microstructure and Hydrides on Fracture of TiAl," *Scripta Metall. Mater.*, 25 (1991) 2133-2138.
226. M. Niinomi, T. Kobayashi, K. Ryugoh, J.C. Williams, W.M. Garrison and A.W. Thompson, "Fracture Characteristics of Titanium-based Intermetallic Compound  $Ti_3Al$ ," *J. Japan Inst. Metals*, 55 (1991) 1023-1030.
227. A.W. Thompson and T.M. Pollock, "Creep of  $\alpha_2 + \beta$  Titanium Aluminide Alloys," *ISIJ Internat. J.*, 31 (1991) 1138-1145.
228. A.W. Thompson and R.F. Buck, "Fatigue Crack Growth Behavior of SiC-Reinforced Aluminum-Alloy Composites in Aggressive Environments," in *Composites* (Proc. 8th Internat. Conf. on Composite Materials), S.W. Tsai and G.S. Springer, eds., S.A.M.P.E., Covina, CA (1991) Vol. 2, 20A-1 to 20A-12.
229. J.W. Bray, K.J. Handerhan, W.M. Garrison and A.W. Thompson, "Fracture Toughness and the Extents of Primary Void Growth," *Metall. Trans. A*, 23A (1992) 485-496.
230. W.-Y. Chu, A.W. Thompson and J.C. Williams, "Hydrogen Solubility in a Titanium Aluminide Alloy," *Acta Metall. Mater.*, 40 (1992) 455-462.
231. A. W. Thompson, "Effects of Hydrogen in Titanium Aluminide Alloys," *Materials Science and Engineering*, A153 (1992) 578-583.
232. K.-W. Gao, Y.-B. Wang, W.-Y. Chu, C.-M. Hsiao and A.W. Thompson, "Initiation and Slow Stable Crack Growth of Brittle Cracks in TiAl," *Scripta Metall. Mater.*, 26 (1992) 813-817.
233. Y. Zhang, Y.-B. Wang, W.-Y. Chu, C.-M. Hsiao and A.W. Thompson, "Stress Corrosion Cracking of Titanium Aluminide Alloys in Aqueous Solution and Methanol," *Scripta Metall. Mater.*, 26 (1992) 925-928.
234. W.-Y. Chu and A.W. Thompson, "Hydrogen Effects on Brittle Fracture of the Titanium Aluminide Alloy Ti-24 Al-11 Nb," *Metall. Trans. A*, 23A (1992) 1299-1312.
235. W.S. Walston, I.M. Bernstein and A.W. Thompson, "The Effect of Internal Hydrogen on a Single Crystal Nickel-base Superalloy," *Metall. Trans. A*, 23A (1992) 1313-1322.
236. N.R. Moody, J.A. Brooks and A.W. Thompson, "Development of JBK-75 for Service in High Pressure Hydrogen Environments: The Role of Microstructure," in *Second Workshop on Hydrogen Effects on Materials in Propulsion Systems*, NASA Conf. Publ. 3182, B.N. Bhat, R.L. Dreshfield and E.J. Vesely, eds., NASA, Washington, DC (1992) 145-154.
237. A.W. Thompson, "Hydrogen Effects in Titanium Aluminide Alloys," in *Second Workshop on Hydrogen Effects on Materials in Propulsion Systems*, NASA Conf. Publ. 3182, B.N. Bhat, R.L. Dreshfield and E.J. Vesely, eds., NASA, Washington, DC (1992) 235-241.

PUBLICATIONS A.W. Thompson

238. D.B. Allen and A.W. Thompson, "Hydrides in Ti<sub>3</sub>Al Alloys," in *Second Workshop on Hydrogen Effects on Materials in Propulsion Systems*, NASA Conf. Publ. 3182, B.N. Bhat, R.L. Dreshfield and E.J. Vesely, eds., NASA, Washington, DC (1992) 243-250.
239. A.L. Wojcieszynski, W.M. Garrison and A.W. Thompson, "The Influence of Grain Size on the Upper Shelf Toughness of a 9Ni Steel," *Scripta Metall. Mater.*, 27 (1992) 851-854.
240. D. E. Albert and A.W. Thompson, "Microstructural Effects in Creep of Ti-24 Al-11 Nb Polycrystals," *Metall. Trans. A*, 23A (1992) 3035-3043.
241. A.W. Thompson and J.F. Knott, "Micromechanisms of Brittle Fracture," *Metall. Trans. A*, 24A (1993) 523-534.
242. C.H. Ward, J.C. Williams and A.W. Thompson, "Dynamic Environmental Embrittlement of an  $\alpha_2$  Titanium Aluminide," *Scripta Metall. Mater.*, 28 (1993) 1017-1021.
243. A.W. Thompson and W.-Y. Chu, "Hydrogen Effects in Titanium Aluminides," in *Summary Proceedings of the 4th Workshop on Hydrogen-Material Interaction*, H.G. Nelson, ed., NASP Joint Program Office Workshop Pub. 1013, NASA-Langley, Hampton, VA (Feb. 1993) 83-93.
244. F.-C. Dary and A.W. Thompson, "Effects of Microstructure on the Room-Temperature Strength and Ductility of the Alloy Ti-25 Al-10 Nb-3 V-1 Mo," in *High-Temperature Ordered Intermetallic Alloys V*(MRS Symp. Proc. Vol. 288), I. Baker, R. Darolia, J.D. Whittenberger and M.H. Yoo, eds., Mater. Res. Soc., Pittsburgh (1993) 703-710.
245. A.W. Thompson, "Hydrogen Effects on Fracture in  $\alpha_2$  Titanium Aluminides," in *High-Temperature Ordered Intermetallic Alloys V*(MRS Symp. Proc. Vol. 288), I. Baker, R. Darolia, J.D. Whittenberger and M.H. Yoo, eds., Mater. Res. Soc., Pittsburgh (1993) 947-952.
246. D.M. Dimiduk, A.W. Thompson and J.C. Williams, "The Compositional Dependence of Antiphase Boundary Energies and the Mechanism of Anomalous Flow in Ni<sub>3</sub>Al Alloys," *Philosophical Magazine A*, 67 (1993) 675-698.
247. K. Li and A.W. Thompson, "Fatigue Threshold and Closure Effect of CP Titanium at 10 and 30 Hz in Laboratory Air," in *Fatigue '93*, J.-P. Bailon and J.I. Dickson, eds., Eng. Maths. Advisory Svc., Ltd. (EMAS), Warley, UK (1993) Vol. I, 513-518.
248. J. A. Brooks and A. W. Thompson, "Microstructure and Hydrogen Effects on Fracture in the Alloy A-286," *Metall. Trans. A*, 24 A (1993) 1983-1991.
249. A.W. Thompson, D.E. Albert and G.T. Gray, "Fatigue Crack Growth in Rail Steels," in *Rail Quality and Maintenance for Modern Railway Operation*, J.J. Kalker, D.F. Cannon and O. Orringer, eds., Kluwer, Dordrecht (1993) 361-372.
250. A.W. Thompson, "Fracture of Intermetallics," in *Structural Intermetallics* (Proc. Internat. Symp.on Structural Intermetallics), R. Darolia, J.J. Lewandowski, C.T. Liu, P.L. Martin, D.B. Miracle and M.V. Nathal, eds., TMS, Warrendale, PA (1993) 879-884.
251. A.W. Thompson, M.P. Mueller and I.M. Bernstein, "Stress Corrosion Cracking in Equiaxed 7075 Aluminum Under Tension and Torsion Loading," *Metall. Trans. A*, 24A (1993) 2569-2575.
252. F.-C. Dary and A.W. Thompson, "Effects of Microstructure on Tensile Properties in the Alloy Ti-25 Al-10 Nb-3 V-1 Mo," in *Titanium '92 Science and Technology* (Proc. 7th Internat. Conf. on Titanium), F.H. Froes and I.L. Caplan, eds., TMS, Warrendale, PA (1993), Vol. I, 375-382.

PUBLICATIONS A.W. Thompson

253. A.W. Thompson, "Micromechanisms of Fracture in Titanium Aluminides," in *Titanium '92 Science and Technology* (Proc. 7th Internat. Conf. on Titanium), F.H. Froes and I. Caplan, eds., TMS, Warrendale, PA (1993), Vol. II, 1155-1161.
254. C.H. Ward, I. Roman, J.C. Williams and A.W. Thompson, "Microstructure, Tensile Ductility, and Fracture Toughness of Ti-25 Al-10 Nb-3 V-1 Mo," in *Titanium '92 Science and Technology* (Proc. 7th Internat. Conf. on Titanium), F.H. Froes and I. Caplan, eds., TMS, Warrendale, PA (1993), Vol. II, 1171-1178.
255. D.E. Albert and A.W. Thompson, "Creep of Ti-24 Al-11 Nb," in *Titanium '92 Science and Technology* (Proc. 7th Internat. Conf. on Titanium), F.H. Froes and I. Caplan, eds., TMS, Warrendale, PA (1993), Vol. II, 1251-1258.
256. A.W. Thompson, "Effects of Microstructure in Hydrogen Embrittlement of Titanium Aluminide Alloys," in *Titanium '92 Science and Technology* (Proc. 7th Internat. Conf. on Titanium), F.H. Froes and I. Caplan, eds., TMS, Warrendale, PA (1993), Vol. II, 1283-1290.
257. D.M. Dimiduk, A.W. Thompson and J.C. Williams, "Influences of Thin Foil Preparation and Handling on the Dislocation Structure Observed in Ni<sub>3</sub>Al Alloys," *Scripta Metall. Mater.*, 31 (1994) 197-201.
258. A.W. Thompson, "Fracture and Micromechanisms in Titanium Aluminides," in *Fatigue and Fracture of Ordered Intermetallic Materials*, W.O. Soboyejo, T.S. Srivatsan and D.L. Davidson, eds., TMS, Warrendale, PA (1994) 293-306.
259. C.H. Ward, A.W. Thompson and J.C. Williams, "Elevated Temperature Tensile Fracture Behavior of Ti-25 Al-10 Nb-3 V-1 Mo," in *Fatigue and Fracture of Ordered Intermetallic Materials*, W.O. Soboyejo, T.S. Srivatsan and D.L. Davidson, eds., TMS, Warrendale, PA (1994) 319-327.
260. X. Pierron and A.W. Thompson, "Hydrogen Effects on Mechanical Behavior in the Alloy Ti-25 Al-10 Nb-3 V-1 Mo," in *Fatigue and Fracture of Ordered Intermetallic Materials*, W.O. Soboyejo, T.S. Srivatsan and D.L. Davidson, eds., TMS, Warrendale, PA (1994) 355-368.
261. A.W. Thompson, "Microstructure and Hydrogen in  $\alpha_2$  Titanium Aluminide Alloys," in *Summary Proceedings of the 5th Workshop on Hydrogen-Material Interactions*, H.G. Nelson, ed., NASP Workshop Pub. 1014, NASA-Ames Research Center, Moffett Field, CA (1994) 3-16.
262. X. Tang and A.W. Thompson, "Hydrogen Effects on Slip Character and Ductility in Ni-Co Alloys," *Materials Science and Engineering*, A186 (1994) 113-119.
263. J.C. Chesnutt, A.W. Thompson and J.C. Williams, "Effect of Microstructure on Fatigue Crack Propagation in Alpha-Beta Titanium Alloys," in *Strength of Materials* (Proc. 10th Int. Conf. Strength of Metals and Alloys), H. Oikawa, K. Maruyama, S. Takeuchi and M. Yamaguchi, eds., Japan Inst. Metals, Sendai (1994) 533-536.
264. A.W. Thompson and J.C. Chesnutt, "Environmental Effects on Fatigue Crack Propagation in Alpha-Beta Titanium Alloys," in *Strength of Materials* (Proc. 10th Int. Conf. Strength of Metals and Alloys), H. Oikawa, K. Maruyama, S. Takeuchi and M. Yamaguchi, eds., Japan Inst. Metals, Sendai (1994) 953-956.
265. A.W. Thompson, X. Pierron and D.B. Allen, "Effects of Hydrogen on Microstructure and Fracture of Titanium Aluminide Alloys," in *Strength of Materials* (Proc. 10th Int. Conf. Strength of Metals and Alloys), H. Oikawa, K. Maruyama, S. Takeuchi and M. Yamaguchi, eds., Japan Inst. Metals,

PUBLICATIONS A.W. Thompson

- Sendai (1994) 423-426.
266. H. Dong and A.W. Thompson, "Effects of Hydrogen on Thermally Activated Dislocation Motion in Iron," *Materials Science and Engineering*, A188 (1994) 43-49.
267. M. De Graef, D.B. Allen, X. Pierron, T.M. Pollock and A.W. Thompson, "High Resolution Electron Microscopy Study of Planar Anti-Phase Boundaries in Orthorhombic  $Ti_2AlNb$ ," in *Electron Microscopy 1994* (Proc. Int. Conf. Electron Microscopy-13), Vol. 2A, B. Jouffrey and C. Colliex, eds., Les Éditions de Physique, Paris (1994) 665-666.
268. C.P. You, A.W. Thompson and I.M. Bernstein, "Ductile Fracture Processes in 7075 Aluminum," *Metall. Mater. Trans. A*, 26A (1995) 407-415.
269. C.H. Ward, A.W. Thompson and J.C. Williams, "Elevated Temperature Tensile Behavior of Ti-25 Al-10 Nb-3 V-1 Mo," *Metall. Mater. Trans. A*, 26A (1995) 703-720.
270. K. Li, T.M. Pollock, A.W. Thompson and M. De Graef, "A New Phase in Hydrogen-charged Ti-48 Al-2 Cr-2 Nb," *Scripta Metall. Mater.*, 32 (1995) 1009-1014.
271. X. Pierron and A.W. Thompson, "Hydrogen and Microstructure in an Alpha-2 Titanium Aluminide Alloy," in *Fatigue and Fracture of Ordered Intermetallic Materials II*, W.O. Soboyejo, T.S. Srivatsan and R.O. Ritchie, eds., TMS, Warrendale, PA (1995) 31-38.
272. A.W. Thompson and H. Dong, "Reply to Comments by H. Kimura on 'Effects of Hydrogen on Thermally Activated Dislocation Motion in Iron,'" *Materials Science and Engineering*, A199 (1995) 243-244.
273. X. Pierron, M. De Graef, T.M. Pollock and A.W. Thompson, "Hydrogen-induced Phase Transformations in  $\alpha_2 + B2$  Ti-25 Al-10 Nb-3 V-1 Mo Titanium Aluminide," *Proc. Microscopy and Microanalysis 1995*, G.W. Bailey, M.H. Ellisman, R.A. Hennigar and N.J. Zaluzec, eds., Jones and Begell, New York (1995) 520-521.
274. A.W. Thompson, "Micromechanics of Brittle Fracture in Titanium Aluminides," in *Micromechanics of Advanced Materials*, S.N.G. Chu, P.K. Liaw, R.J. Arsenault, K. Sadananda, K.S. Chan, W.W. Gerberich, C.C. Chau and T.M. Kung, eds., TMS, Warrendale, PA (1995) 393-400.
275. D.M. Symons and A.W. Thompson, "The Effect of Hydrogen on the Fracture of Alloy X-750," *Metall. Mater. Trans. A*, 27A (1996) 101-110.
276. M.R. Shanabarger, S.N. Sankaran and A.W. Thompson, "Hydrogen Solubility in Ti-24 Al-11 Nb," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 215-222.
277. D.M. Symons and A.W. Thompson, "The Effect of Hydrogen on the Fracture Toughness of Alloy X-750," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA, (1996) 465-474.
278. X. Pierron and A.W. Thompson, "Effects of Hydrogen-Induced Phases on Mechanical Behavior of the Ti-25 Al-10 Nb-3 Mo-1 V Titanium Aluminide Alloy," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 765-774.
279. U. Habel, T.M. Pollock and A.W. Thompson, "Hydrogen Embrittlement in Gamma Titanium Aluminide Alloys," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 787-796.

PUBLICATIONS A.W. Thompson

280. K. Li, M. De Graef, T.M. Pollock, D.B. Allen and A.W. Thompson, "Hydrides in High Pressure Hydrogen-Charged TiAl Alloys," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 809-818.
281. J. Huez, A.-L. Helbert, I. Guillot, A.W. Thompson and M. Clavel, "Influence of Hydride Precipitation on the Ductility of Titanium under Stress Triaxiality," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 819-830.
282. D.B. Allen, A.W. Thompson and M. De Graef, "The Effects of Hydrogen on the Stability of the Orthorhombic Phase in Ti-24 Al-11 Nb," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 831-840.
283. J.M. Larsen and A.W. Thompson, "Mechanical Austenite Stability of Fe-Ni-Cr-Mn Stainless Steels," in *Hydrogen Effects in Materials*, A.W. Thompson and N.R. Moody, eds., TMS, Warrendale, PA (1996) 865-872.
284. D. E. Albert and A.W. Thompson, "Effect of Stress-Temperature Regimes on Creep Mechanisms in Ti-24 Al-11 Nb," *Materials Science and Engineering*, A210 (1996) 48-56.
285. A.W. Thompson, W.-Y. Chu and J.C. Williams, "Comments on 'Hydrogen Solubility in a Titanium-Aluminide Alloy,'" *Scripta Mater.*, 35 (1996) 1195-1198.
286. A.W. Thompson, "Fractography and its Role in Fracture Interpretation," Pelloux Symposium Special Issue, *Fatigue and Fracture of Engineering Materials and Structures*, 19 (1996) 1307-1316.
287. A.W. Thompson, "Hydrogen Effects and Microstructure in Titanium Aluminide Alloys," in *Processing and Design Issues in High Temperature Materials*, N.S. Stoloff and R.H. Jones, eds., TMS, Warrendale, PA, (1997) 319-330..
288. D.M. Symons and A.W. Thompson, "The Effect of Hydrogen on the Fracture Toughness of Alloy X-750," *Metall. Mater. Trans. A*, 28A (1997) 817-823.
289. A.W. Thompson, "Abstract: The Fractography-Modeling Link in Cleavage Fracture," in *George R. Irwin Symposium on Cleavage Fracture*, K.S. Chan, ed., TMS, Warrendale, PA (1997), 225.
290. X. Pierron, M. De Graef and A.W. Thompson, "On the Effect on Hydrogen on the Microstructure of  $\alpha_2$ -Ti<sub>3</sub>Al+Nb Alloys," *Philosophical Magazine A*, 77 (1998) 1399-1421.
291. B.L. Boyce, J.P. Campbell, O. Roder, A.W. Thompson, W.W. Milligan and R.O. Ritchie, "High-Cycle Fatigue in a Turbine Engine Ti-6 Al-4 V Alloy," *Internat. J. Fatigue*, in press.
292. B.L. Boyce, J.P. Campbell, O. Roder, A.W. Thompson and R.O. Ritchie, "Aspects of High-Cycle Fatigue Performance in a Ti-6 Al-4 V Alloy," in *Fatigue Behavior of Titanium Alloys*, R. Boyer, D. Eylon, and G. Lütjering, eds., TMS, Warrendale, PA (1999), 3-13.
293. A.W. Thompson, "Relations between Microstructure and Fatigue Properties of Alpha-Beta Titanium Alloys," in *Fatigue Behavior of Titanium Alloys*, R. Boyer, D. Eylon, and G. Lütjering, eds., TMS, Warrendale, PA (1999), 23-30.
294. A.W. Thompson and D.C. Nguyen, "Effects of Hydrogen on Slip Character in a Precipitation-strengthened Alloy," in *Hydrogen Effects on Material Behavior and Corrosion Deformation Interactions*, N.R. Moody, A.W. Thompson, R.E. Ricker, G.S. Was and R.H. Jones, eds., TMS, Warrendale, PA (2003) 173-182.